



# Hi-Steppa Lift

A modern system for up  
to three metres of travel



# The modern lightweight Steplift that takes you further



500kg capacity

up to 3m travel

access between 2 levels

user plus attendant

wheelchair or ambulant

internal & external

domestic & public access

**The stylish Hi-Steppa, with its  
lightweight aluminium and stainless steel  
construction, provides both strength and  
modern aesthetics.**

Capable of lifting 500kg, the Independence is available in two models depending on your travel height requirement - for up to either 2 metre or 3 metre travel.

With a range of platform sizes and configurations, you can choose the system that best suits your user needs and available space.

The quiet battery operation provides smooth transit and is suitable for both internal and external locations either at home or in public spaces.



Above from left to right:

2m Model Through Entry configuration

2m Adjacent Entry configuration

3m Model Through Entry configuration

## Style that lasts

The Hi-Steppa is designed to be as robust as it is stylish, and is therefore an ideal option for both internal and external environments.

With the pump unit integrated within the lift it offers **reduced vandalism risk** and with no need for a separate control unit location minimises installation time and builders work. The lift can also be **relocated** and **gates rehanded** to open either direction, offering great flexibility for the future.

The **easy to service 2-piece system** means your Independence Steplift will provide reliable and efficient access for many years.



## Standard Features

### Stylish design

- Side panels and upper/lower gates in powder coated aluminium with acrylic infills
- Manual gate(s)
- Built-in ramp
- Battery powered (integral to rail structure)
- Integrated pump unit and controls

### Excellent safety as standard

- Full platform safety edge
- On board manual lowering system
- Emergency release on upper and lower level gates
- Battery backup

### Simple to install

- Easy to service 2-piece system
- Gates can be rehanded (change opening direction)
- Can be relocated

## Optional Features

### Gate

- Automatic upper and/or lower gate, with auto reverse\*
- On board ramp
- Gate closer

### Controls

- Full braille controls
- Controls available at either side
- Dual control
- Post mounted call station
- Auto dialler on the platform
- Additional Safety System - Light beams or curtains


## Choose from:

**2** Models  
2 Metre  
3 Metre

**2** Configurations  
Through Entry  
Adjacent Entry/Exit

**3** Platform Sizes  
800 x 1400mm  
900 x 1400mm  
1100 x 1400mm

**3** Finish Options  
Bellows  
Custom colour  
Marine Grade



### Bespoke Option

We can create a Steplift that is bespoke to your needs. We will assist with site requirements and advise on regulations and legislation. We will ensure that your lift not only performs exactly as you want, but also looks exactly how you need it to.

Exceptional safety and many features unique\* to these lifts



## Technical Specification

### Design & Manufacturing Standard

BS 6440:2011; Machine Directive 2006/42/EC

### 2 Metre and 3 Metre Models

#### Through Entry Configuration

Platform Size	External Dimensions	Lift with Lower Gate Open
800 x 1400 - Standard	1110 x 1650	1110 x 2620
900 x 1400	1210 x 1650	1210 x 2720
1100 x 1400	1410 x 1650	1410 x 2920

#### Adjacent Entry Configuration

Platform Size	External Dimensions	Lift with Lower Gate Open
900 x 1400	1210 x 1760	2470 x 1760
1100 x 1400	1410 x 1760	2670 x 1760

All measurements in millimetres (mm)



Axess 2 Ltd, Unit 7 Deanfield Drive, Link 59 Business Park, Clitheroe, BB1 7QJ

Tel: 01200 405005

Fax: 01200 405006

Email: [enquiries@axess2.co.uk](mailto:enquiries@axess2.co.uk)

[www.axess2.co.uk](http://www.axess2.co.uk)