




QUBE

PLATFORM LIFTS DESIGNED TO ELEVATE LIFE



AXESS2



# FLEXIBLE & MODERN

Qube solutions are flexible in terms of sizes and design choices. The space-saving lift construction and our timeless Scandinavian design will adapt to any architectural style.

MADE IN SWEDEN



## CONTENTS

<b>QUBE SMALL &amp; MEDIUM</b>	<b>4</b>
DESIGN	6
OUTDOOR LIFTS	8
TECHNICAL INFO	10
FINISHES	11
<b>QUBE LARGE</b>	<b>12</b>
TECHNICAL INFO	18
FINISHES	20
<b>LIFT BUYING GUIDE</b>	<b>21</b>





# EASY TO INTEGRATE EASY TO ENJOY

Our ready-made lift concept and compact footprint have minimal structural impact on your home. The EcoSilent system offers you the option to make your lift quieter and more energy-efficient.

**The perfect lift for your home and for the planet.**




## ECO SILENT TECHNOLOGY

Silence and green energy are highly valued in today's modern architecture. We believe that our new drive system will revolutionise the way we perceive screw-driven lifts. The ECO Silent system not only makes the operation of our lifts virtually soundless. It also makes our lifts much more energy-efficient.


The ECO Silent System preserves your silence and reduces your power consumption.

**A perfect solution.**




# OPEN UP YOUR SPACE

Glass creates an open and airy space. Our platform lifts can be glazed on all sides for a 360 degree panoramic view, which is quite unique.







# THERE IS NO BAD WEATHER

Our outdoor lifts are designed and equipped to resist tough weather conditions. Suitable for public, commercial and private settings.



## A VERSATILE AND SMART LIFT CONCEPT

Our lift solutions are ready-made products, delivered in manageable size packages. This makes installation is fast and easy.

### THE PERFECT ACCESSIBILITY SOLUTION

- No machinery on top, low headroom.  
Energy-saving LED lit ceiling.
- Shaft panels in steel or in safety glass. All four sides can be glazed.
- Wide choice of door models; steel doors, aluminium doors, gates, EI60 fire rated doors.
- Concealed or externally fitted power door openers as an option.
- Our lift solutions are designed to have a small footprint and a maximum of space inside.
- Our lift solutions are eco-friendly. 95% of the lift is made from recyclable materials and the A5000 and A4000 carry Energy Label A, when equipped with the EcoSilent drive system.

### ACCESS CONFIGURATIONS

#### FLEXIBLE CONFIGURATION

Our Lift offers a great choice of lift sizes, door models, finishes and accessories so that you can adapt the lift configuration to your taste and requirements.



All lift models carry the CE mark and go through extensive testing and quality checks before leaving our factory. Our lifts are Certified products that comply with European quality standards, Machinery Directive 2006/42/EC and EN 81-41. This product information is general and we reserve the right to modify product design and specifications. Minor deviations in color reproduction can occur.

#### QUBE SMALL

Platform lift - low back	
Platform sizes* (wxd)	Rated load
800x830	300 kg
1000x830	300 kg
1000x930	300 kg
1100x930	300 kg

#### QUBE MEDIUM

Platform lift - low back	
Platform sizes* (wxd)	Rated load
800x1 217	400-500 kg
900x1 467	400-500 kg
1 000x1 267	400-500 kg
1 000x1 467	400-500 kg
1 100x1 367	400-500 kg
1 100x1 467	400-500 kg
1 100x1 597	500 kg
1 000x1 967	500 kg

#### QUBE LARGE

Platform lift - low back	
Platform sizes* (wxd)	Rated load
1 105x2 180	1 000 kg
1 405x1 980	1 000 kg
1 405x2 480	1 000 kg

#### TECHNICAL INFORMATION QUBE - ALL SIZES

Lift location	Indoors / Outdoors*
Rated load	300-1000 kg
Rated speed (m/sec)	Max 0.15
Travel	Up to 13 m
Min.headroom at top landing	2250/1100 mm (A5000H: 2350 mm)
Pit depth without ramp	50 mm or 130** mm
Maximum number of stops	6 stops
Doors and gates	Single hinged
Door clear opening (wxd)	700-1 300x1 800-2 300 mm
Gate clear opening (wxd)	700-900x1 100 mm
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16 A***
Motor power	2.2 KW/4.0** KW
Manufactured in	Sweden

\* Outdoor available for A5000, platform sizes 1000x1467 and 1100x1467 mm.

\*\* For A8000.


\*\*\* 1x230 VAC and 3x230 VAC available as options for A5000 and A5000H, 3x230 VAC for A8000.

## FINISHES

### COLOURS



### FLOORS



### GLASS



All lift models carry the CE mark and go through extensive testing and quality checks before leaving our factory. Our lifts are Certified products that comply with European quality standards, Machinery Directive 2006/42/EC and EN 81-41. This product information is general and we reserve the right to modify product design and specifications. Minor deviations in color reproduction can occur.



# QUBE LARGE



## SMART MODULARITY

Thanks to our space-saving, modular concept, Qube lift solutions have an exceptionally short manufacturing and installation time, compared to conventional lifts. Even high-capacity lifts, like the Qube Large, are delivered and installed much faster, and at a fraction of the cost.

With more than 70 years in the business, Qube Lift is the oldest manufacturer of vertical platform lifts in the world. Let our experience guide you to the perfect lift solution.

## POWERFUL & VERSATILE

The Qube Large has a rated load of 1000 kg and is certified for the transportation of both goods and people. That fact makes the Qube Large the perfect solution for a wide range of establishments, such as warehouses, offices, restaurants and department stores, but also schools, museums, religious buildings and carehomes.

All images of lifts and colour samples in this brochure are for inspirational purposes only. For critical colour matches, we advise you to use physical colour or material samples.





# ADD VALUE TO YOUR BUSINESS

Given that the Qube Large works just as well as an accessibility solution as it does as a transport solution for stretchers, hospital beds and goods, this platform lift has the potential to add great value to your building.

In addition, the small footprint, low top height and reduced lift pit of only 130 mm, make the Qube Large exceptionally fast and easy to install.



# EFFICIENT USE OF SPACE


One of the great advantages of our platform lifts, is their efficient use of space. The platform constitutes almost 70% of the total footprint, which makes it possible to fit the Qube Large in a much smaller space than other comparable lifts.

The large platform and extra-wide doors enable the Qube Large to transport bulky goods, such as large pallets, big roll containers or even pallet trucks.



# ROBUST & RELIABLE ELEGANCE

Thanks to the wide choice of different floor, glazing and colour options, the design of the Qube Large can be adapted to blend in seamlessly with most architectural and decorative styles.





## TECHNICAL INFORMATION

To make the lift even more robust, the Qube Large can be upgraded with raised edges on the platform, kick plates in stainless steel for the doors and hard-wearing aluminium chequer plate flooring.

To facilitate access, it is also possible to equip the Qube Large with automatic door openers and large, remote call buttons, also known as elbow buttons.



Robust and elegant control panel



Aluminium chequer plate

Kick plate in stainless steel



Single entry

Adjacent

Open-through

TECHNICAL INFORMATION	QUBE LARGE
Location	Indoor
Rated load	1000 kg
Rated speed (m/sec)	Max 0.15
Travel	Max 13 m
Min. headroom at top landing	2350 mm
Pit depth	130 mm
Platform sizes mm (W×D)	1405×1980 1405×2480 1105×2180
Prefabricated shaft size mm (W×D)*	1825×2056 1825×2556 1525×2256
Cut out sizes mm (W×D)*	1895×2135 1895×2635 1595×2335
Max number of stops	6
Standard finish	RAL 9016
Doors	Single hinged
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16A
Motor power	4.0 KW
Lift control	Autorun from landings, hold-to-run on platform
Machine room	Integrated
Standards	MD 2006/42/EC
Manufactured in	Sweden

\* The exact measurements vary depending on the lift configuration and the conditions on site. Please consult us for more information.



DOOR MODEL	A40	EI60*	EI60G*
Door clear opening size mm, (W×H)**	1000×2000 1300×2000	1000×2000 1200×2000	1000×2000
Glass size mm, (W×H)	800×1563	75×800	800×1563
Standard finish	Painted steel RAL 9016	Painted steel RAL 9016	Painted steel RAL 9016
Concealed door closer	Standard	Standard	Standard
Concealed door opener	No	No	No
External door opener	Optional	Optional	Optional

\* Doors fire rated EI60 according to EN 81-58. Fire rated doors must be combined with a site-built shaft with equivalent or higher fire rating, depending on local regulations.  
\*\* Optional door clear opening heights 1800/1900/2100 mm available.

## THE QUBE LARGE

While conventional lifts take weeks to install and require major construction work, the Qube Large can be installed in less than a week and require only minimal refurbishment. Our secret is our modular concept, which minimises the impact on your building and shortens the installation time.

### MODULAR LIFT SHAFT

No need for a masonry shaft, a ready-made lift shaft of glass or steel panels is always included.

### REDUCED LIFT PIT

A shallow lift pit of 130 mm is enough..

### LOCKING SYSTEMS

Various locking systems.



### CALL BUTTONS



White, grey or black face plate.



RFID tag reader for auto lock.



Key lock for auto lock/ central lock.



Wireless, remote elbow button



### TOP HEIGHT

The 2300 mm top height fits easily under most ceilings.

### ENERGY-SAVING LED TECHNOLOGY

The ceiling and platform are illuminated by durable and energy-saving LED lights.

### SCREW-DRIVEN SYSTEM

Reliable 100% electric screw-driven system, no hydraulics.

### MACHINE ROOM LESS

The machinery fits inside the shaft, no need for a separate machine room.

### CUSTOMISABLE PLATFORM DESIGN

The platform design can be customised with different colours and floor options



### STANDARDS AND CERTIFICATES


Energy Certificate: B with standard drive according to VDI 4707.

The Qube Large is a CE type certified product and complies with the Machinery Directive 2006/42/EC and applicable parts of EN 81-41.

The control system of the Qube Large attains Safety Integrity Level 3 (SIL3).



## QUBE LARGE COLOUR OPTIONS



The Qube Large is delivered in white RAL 9016 as standard, but is also available in the RAL or premium colour of your choice.

## FLOOR OPTIONS



The black Altro Contrax safety floor is delivered as standard. In addition, we offer you the choice between several other safety floors, or resistant and durable aluminium chequer plate.

## GLASS OPTIONS



## BUYING A LIFT A STEP BY STEP GUIDE

### Professional Advice

You can always book a free consultation with Axess2 to get the advice and support needed to find the best lift configuration for your lift project.

### Design your lift

We offer you the freedom to create a lift design that will blend in with any building. The lift is available with a ready-made shaft in steel or glass (3 sides) and offers you a wide range of colour and floor options.

### Order & quotation

Axess2 will provide you with a quotation and lift drawings. The price of the lift will depend on your choice of platform size, lift design and on the number of floors. As soon as you have approved the lift specification and drawings, we will order the lift.

### Delivery & installation

We will take care of the logistics, you just need to agree on the installation date. Qube lifts are made in Sweden and the manufacturing time is generally between 8-10 weeks.

### The Axess2 Commitment

Your lift undergoes extensive testing and quality checks before leaving our factory and comes with a manufacturer warranty. Our strict environmental policy takes the full life cycle of your lift into account; from sourcing and manufacturing to energy consumption and recycling.



AXESS 2 LIMITED,  
UNIT 7 DEANFIELD DRIVE  
LINK 59 BUSINESS PARK  
CLITHEROE, LANCASHIRE, BB7 1QJ

01200 405005  
INFO@AXESS2.CO.UK

**WWW.AXESS2.CO.UK**