






















Safety edge with LED lights



SAFETY EDGES

The top safety edge is located behind the upper bar of the back panel and it will stop the lift instantly when touched.

The safety edges framing the platform floor, stop the lift at the slightest touch. Availabe in any RAL or premium colour as an option, and possible to equip with programmable LED light, the floor safety edges constitute an important part of the overall lift design.



LIFT DISPLAY

The lift display includes a 7" screen with a large floor indicator. The display is covered with semi transparent mirror glass to create an elegant and futuristic look.

INNOVATIVE SAFETY FUNCTIONS

While most platform lifts have large and industrial-looking buttons for the emergency stop and lift alarm, the innovative design of the Qube Air incorporates these essential safety functions much more elegantly, in two flush mounted buttons placed at the top of the platform back panel.

ERGONOMIC HANDRAIL

The handrail of the Qube Air has a unique, intuitive design. You simply put your hand on the destination button to travel, and relieve the pressure to stop. This ingenious design makes use of your natural instinct to lean on the handrail, offering you and your loved ones effortless travel.



DECOLEGNO®

This unique material has a matte, velvety surface, which is soft to the touch. Easy to clean and resistant to scratches and finger prints, DecoLegno® is a very durable material. Available for the front panel of the platform in white, black or beige colour.

16



STEP-BY-STEP GUIDE

EXPLORING YOUR NEEDS

Understanding how you want the lift to fit into your home and everyday life is the first step to finding the perfect home lift. We will help you on every step of the way.

PROFESSIONAL ADVICE

You can always book a free consultation with us, no strings attached. We will advise you on the best lift configuration for your home and requirements and will remain your main point of contact throughout your lift project.

DESIGN YOUR LIFT

Do you prefer neutral, vibrant or muted colours? A lift shaft in steel or glass, or a combination? Perhaps you would like the lift floor to match your own floors? We offer you complete freedom to create a lift design that will blend in with your home and lifestyle.

ORDER & QUOTATION

We will provide you with a quotation and lift drawings. The price of the lift will depend on your choice of platform model, lift design and on the number of floors.

DELIVERY & INSTALLATION

We will take care of the logistics, you just need to agree on the installation date. Manufacturing time is generally between 6-8 weeks. Once the lift is delivered to your door-step, the lift installation will only take a few days.

THE QUBE COMMITMENT

Your lift undergoes extensive testing and quality checks before leaving our factory and comes with a 2-year manufacturer warranty. Our environmental policy takes the full lifecycle into account; from sourcing and manufacturing to energy consumption and recycling.



A LIFT FOR YOUR LIFESTYLE

When you decide to buy a home lift, it is important to consider how you want to use the lift in your everyday life. Do you need a lift for just one person or for several people? Does the lift need to accommodate a wheelchair, or will it only be used for comfort?

MINIMAL REFURBISHMENT

If you live in a duplex apartment, townhouse or detached villa, home lift Qube Air is a great choice, thanks to its modular, space-saving construction. The Qube Air comes with a ready-made lift shaft and requires no extensive refurbishment.

FINDING THE RIGHT PLACE

The compact construction and great choice of lift sizes allow the Qube Air to integrate seamlessly with most homes. This home lift fits into tight and narrow spaces, like the small and unused corners of your house or the void at the centre of your staircase.

KEEP YOUR FAMILY SAFE

You should always make sure that the lift you decide to buy complies with your national safety regulations. The Qube Air is a CE marked product, certified by the Notified Body Liftinstituut and compliant with all relevant EU standards & safety codes.

CREATE YOUR BESPOKE DESIGN

Make the most of your opportunity to transform your lift into a beautiful architectural feature. The Qube Air offers you the freedom to combine colours and materials to create a design which blends in perfectly with the style of your home.

SUSTAINABLE TECHNOLOGY

Qube takes environmental responsibility from sourcing to recycling. Our optional drive system, Qube EcoSilent carries Energy Label A and reduces the energy consumption of your home lift by 45%, – a great investment for your home and the planet.

SOUND LEVEL & COMFORT

The EcoSilent drive system makes your lift travel so smoothly and quietly that it blends in completely with the sounds of your everyday life. This ingenious drive system is a must-have, if you want to offer yourself and your family a superior level of comfort.

DESIGN YOUR LIFT INTERIOR



QUBE AIR WOOD

The Qube Air Wood design is a sophisticated combination of wood for the back panel and velvety smooth black, white or beige DecoLegno® for the front panel. For the back panel, light bamboo or blonde oak offer you the choice of two different woods of different character and grain that will blend in with the decorative style of most modern homes.

Qube Air Wood offers you the choice between blonde oak or honey coloured bamboo, two elegant woods with different character and grain.

The front panel includes a 7" display with a level indicator, covered with mirror glass.



QUBE AIR TEXTILE

The Qube Air Textile design is a Delivered with a black back playful combination of natural fabric and sleek metal. Choose between the warm luxury of wool or the structured elegance of linen for the back in white as standard, the front panel offers you the option of close to 300 shades from the RAL chart and our very own premium colour collection.

Cover the back panel of the platform with elegant, light blue offers you a very clean and linen or warm, grey wool to add a soft and sophisticated touch to your lift.

The front panel includes a 7" display with a level indicator, covered with mirror glass.



QUBE AIR METAL

panel and a white front panel as standard, the Qube Air Metal design offers you the option to create your own unique colour combination panel of the platform. Delivered from the close to 300 shades of the RAL chart and our premium colour collection. Monochrome harmony or vibrant colour combinations, this design is a great choice.

> Our Metal design concept timeless look, as well as almost infinite design possibilities in terms of colour combinations.

The front panel includes a 7" display with a level indicator, covered with mirror glass.

- · Handrail and safety edges in any RAL or premium colour.
- Front panel in any RAL or premium colour.
- The choice between 10 different safety floors, or the possibility to fit your own tiles or wood laminate flooring.*

- Handrail and safety edges in any RAL or premium colour.
- Front panel in DecoLegno® or in any RAL or premium colour.
- The choice between 10 different safety floors, or the possibility to fit your own tiles or wood laminate flooring.*

Other platform options include: Other platform options include: Other platform options include:

- · Handrail and safety edges in any RAL or premium colour.
- · Front panel in DecoLegno® or in any RAL or premium colour.
- The choice between 10 different safety floors, or the possibility to fit your own tiles or wood laminate flooring.*







* When the platform is prepared for tiles/laminate, the lift requires a 70 mm pit. Tiles/laminate can be max 20 mm thick.

COLOURS

The Qube Air offers you the freedom to combine different colours and materials to create your bespoke design.



FLOOR OPTIONS

The lift floor is delivered in dark grey, anti-slip PVC as standard, but we offer a wide range of different floor styles. Choose one of our wood or stone floor styles, or customise your own floor with laminate or tiles.



GLASS FOR SHAFT AND DOORS



MIX AND MATCH

WOOD

Enhance the beauty of your home by combining different colours and textures with your favorite grain of wood.



Shaft: Powder coated in RAL 5014, tinted glass Back panel: Oak Front panel: Powder coated in RAL 5014 Handrail & top safety edge: Natural anodised aluminium Floor: Customised wood laminate floor.



Shaft: Powder coated in Alesta Amethyst 2, tinted glass Back panel: Bamboo Front panel: Black DecoLegno Piombo HM07 Handrail & top safety edge: Natural anodised aluminium Floor: Customised tiles.



Shaft: Powder coated in RAL 9016, clear glass Back panel: Oak Front panel: White DecoLegno Piombo HM00 Handrail & top safety edge: Powder coated in RAL 9016 Floor: Customised tiles.

TEXTILE

Combine the rich textures of wool and linen with different colours to add softness and elegance to your interior design. create calm and harmony.

Shaft: Steel panels powder coated in

RAL 1019 Back panel: Light blue linen

Front panel: Powder coated in RAL

1019 Handrail & top safety edge:

Natural anodised aluminium Floor:

Customised wood laminate floor.

METAL

Mix and match different colours for great contrast or go for a monochrome lift design to



Shaft: Standard white steel panels Back panel: Powder coated in RAL 9016 Front panel: Powder coated in RAL 9005 Handrail & top safety edge: Natural, anodised aluminium Floor: Standard floor Altro Contrax, black.



Shaft: Powder coated in Roman Gold, clear glass Back panel: Grey wool Front panel: Powder coated in Roman Gold Handrail & top safety edge: Natural anodised aluminium Floor: Standard floor Altro Contrax, black.



Shaft: Natural, anodised aluminium, clear glass Back panel: Powder coated in RAL 9016 Front panel: Powder coated in RAL 7004 Handrail & top safety edge: Natural, anodised aluminium Floor: Surestep Material Quartz Stone



Shaft: Powder coated in Roman Gold, clear glass Back panel: Grey wool Front clear glass Back panel: Powder coated panel: Powder coated in Roman Gold Handrail & top safety edge: Natural anodised aluminium Floor: Standard floor Altro Contrax, black.



Shaft: Natural, anodised aluminium, in RAL 9016 Front panel: Powder coated in RAL 7004 Handrail & top safety edge: Natural, anodised aluminium Floor: Surestep Material Quartz Stone

SPEC

While conventional lifts take weeks to install and require major construction work, the Qube Air can be installed within days and require only minimal refurbishment. Our secret is our space-saving, modular concept, which reduces the structural impact on your home and minimises the interruption of your daily life.

MODULAR LIFT SHAFT

No need for a masonry shaft, a ready-made lift shaft of glass or steel panels is always included.

REDUCED TOP HEIGHT

The 2250 mm top height fits easily under most ceilings.

REDUCED LIFT PIT

The lift can be installed with 0 mm pit or with a shallow pit of only 50-70 mm.*

ENERGY-SAVING LED TECHNOLOGY

The ceiling and platform are illuminated by durable and energy-saving LED lights.

CUSTOMISABLE PLATFORM DESIGN

Customisable platform design, available in a wide range of materials and colours.

SCREW-DRIVEN SYSTEM

Reliable 100% electric screw-driven system, no hydraulics.

MACHINE ROOMLESS

The machinery fits inside the shaft, no need for a separate machine room.

STANDARDS AND CERTIFICATES

Type Certificate Green Label/Energy Certificate: A with EcoSilent drive B with standard drive According to VDI 4707

*70 mm if lift floor with tiles/laminate

ECOSILENT DRIVE SYSTEM (OPTION)

To ensure quiet and energy-efficient operation, the EcoSilent drive unit has a special engine, as well as adapted transmission and brakes.

LIFTING SCREW

The lifting screw has a 3 x times higher pitch and even screw joints for smooth, comfortable and virtually soundless travel.

ROLLER GUIDE SHOES

Unique roller guide shoes act as interface between the guides and the platform. The roller guide shoes reduce friction by 90%.

SOUND INSULATION

The drive unit is enclosed in an elegant, soundproof metal casing, designed to reduce noise and cover the drive unit.



TECHNICAL INFORMATION

PLATFORM SIZES & RATED LOAD QUBE AIR PLATFORM LIFT – LOW BACK 1250 MM

Platform size, mm (w x d)	Rated load
800 x 830 3	00 kg, 3 persons
1000 x 830	300 kg, 3 persons
1000 x 930	300 kg, 3 persons
1100 x 930	300 kg, 3 persons
800 x 1217	400-500 kg, 4-5 persons
900 x 1467	400-500 kg, 4-5 persons
1000 x 1267	400-500 kg, 4-5 persons
1000 x 1367	400-500 kg, 4-5 persons
1000 x 1467	400-500 kg, 4-5 persons
1100 x 1467	400-500 kg, 4-5 persons
1100 x 1597	400-500 kg, 4-5 persons

TECHNICAL SPECIFICATION

Lift location	Indoors
Rated load	300-500 kg
Rated speed	0.15 m/s
Max travel	13 m
Max number of stops	6
Top height	2250/1300 mm
Height of platform back	1250 mm
Lift pit	0/50/70 mm*
Lift shaft	Modular lift shaft in steel or glass
Doors	Single hinged
Door models	Steel doors, steel gates, aluminium doors, fire rated doors**
Door clear opening steel doors (w x h)	900 x 2000 mm***
Door clear opening steel gate (w x h)	900 x 1300 mm***
Door clear opening aluminium doors (w x h)	900 x 2070 mm***
Door clear opening fire rated doors (w x h)	900 x 2000 mm***
Drive system	Screw and nut, with safety nut
Control system	Micro computer based
Power supply	3 x 400 VAC 50/60 Hz 16 A (standard), 1 x 230 VAC or 3 x 230 VAC (option)
Motor power	2.2 kW
Manufactured in	Sweden

^{* 70} mm lift pit, if the platform is prepared for tiles/laminate.

OPTIONS



LED LIGHT

Energy-saving and durable shaft lighting





LOCKING SYSTEMS

We offer various locking systems for your lift.







DOOR ALTERNATIVES

Steel, aluminium or fire rated.







CALL BUTTONS

Call button. White, grey or black face plate.

Touchscreen call button. Integrated level indicator.

Call button. RFID tag reader for auto lock.

Remote call button.





ACCESS CONFIGURATIONS

Single entry (2 stops)

Adjacent (2 stops)



Open-through (3 stops

^{**} Doors fire rated EI60 according to EN 81-58. Fire rated doors must be combined with a site-built shaft with equivalent or higher fire rating, depending on local regulations.

^{***} Standard door clear opening for platform width 1000-1100 mm.

